

Objective

High resistance raw materials to provide a weatherproof item, powder coated aluminium housing with adjustable mounting base, ground mounting stake, and glare shield. The light source is a highly efficient LED system, which provides high performances paying attention to consumptions. The result is a stylish item with "green" character thanks to the considerable energy saving with it possible.

Obiettivo

Materie prime ad alta resistenza per fornire un articolo resistente alle intemperie, alloggiamento in alluminio verniciato a polvere con base di montaggio regolabile, supporto da terra e schermo antiabbagliamento. La sorgente luminosa è un sistema LED altamente efficiente, che procura alte prestazioni prestando attenzione ai consumi. Il risultato è un oggetto elegante con un carattere "green" grazie al notevole risparmio energetico possibile.

Description

Housing - Die cast aluminium powder coated with choice of RAL colors

Diffuser - Tempered transparent glass with optical glass lens.




LED - reducing energy consumption with L80/B10/F10 50,000 hrs lifetime.

Standards - manufactured in accordance with tested as per PTPS IEC 62722

CODE	WATTAGE	LUMEN	SIZE mm
2145536	36W	3600lm	205 X 64 X 245H
2145572	72W	7200lm	260 X 76 X 310H
21455144	144W	14400lm	360 X 75 X 420H



LED	EMERSON	ECO	IP66
PHASE DIMMING	DALI	1-10 DIMMING	IP66
65°C	Glowing Wire	Test - 850°	IP66
-20°C	IP66	IK 09	UGR <21
IP66	IK 09	UGR <21	SDCM 2.0/3.0
CIDET	EAC	COMPLIANCE	LM-79 TM-21
PASEL ACCREDITATION	SMD	CRI >90	series wiring
ROHS	SELV	F	series wiring
CE	COMPLIANCE	U	series wiring
A++	85-265V	50/60Hz	



LED Drivers - PHILIPS GTI | MWM | GTCI TRIDONIC | LED Chips - BRIDGELUX | CREE | SHARP | SAMSUNG | PHILIPS | CITIZEN

In a continuing effort to offer the best product possible, we reserve the right to change, without notice, specifications or materials that in our opinion will not alter the function of the product. Specification sheets found at www.romaluce.it are the most recent versions and supercede all other printed or electronic versions.