

Objective

Here the LED technology give the quality range, where a high efficient, low consumption and energy saving system is guaranteed. About the functionality here we have durability and hard-weather-proof characteristics thanks to the excellent quality of the materials and the consecutive tested IP 65. About the design the most important detail which has to be noticed is the absence of the screws; this characteristic makes the item very elegant and well distinguished from its counterparts.

Obiettivo

Qui la tecnologia LED stabilisce il range di qualità, dove il sistema di alta efficienza, bassi consumi e risparmio energetico è garantito. Concerne la funzionalità, qui abbiamo durabilità e resistenza alle condizioni metereologiche sfavorevoli grazie alla qualità dei materiali ed il testato IP 65 che ne consegue. A proposito del design il dettaglio più importante che deve essere notato è l'assenza delle viti; questa caratteristica rende il prodotto molto elegante e sicuramente distinto tra i suoi simili.

Description


Housing - Die cast aluminium powder coated with choice of RAL colors

Diffuser - Tempered clear glass diffuser.












Reflector - High purity anodized aluminium.



LED - reducing energy consumption with L80/B10/F10 50,000 hrs lifetime.



Standards - manufactured in accordance with tested as per PTPS IEC 62722

CODE	WATTAGE	LUMEN	SIZE mm	
5093505	5W	600lm	Ø103X58H	Ø90
5093509	9W	1080lm	Ø103X58H	Ø90
5093515	15W	1800lm	Ø144 X 71H	Ø125



		
PHASE DIMMING	DALI	1-10 DIMMING
	Glowing Wire Test - 850°	
IP 65		UGR <19
	EAC	SDCM 2.0/3.0
COMPLIANCE		
	COB	CRI >90
	SELV	series wiring
		
A++	85~265V 50/60Hz	



	2700K	
	3000K	
	4000K	
	5000K	
	6000K	
	6500K	

LED Drivers - PHILIPS    TRIDONIC | LED Chips - BRIDGELUX    PHILIPS 

In a continuing effort to offer the best product possible, we reserve the right to change, without notice, specifications or materials that in our opinion will not alter the function of the product. Specification sheets found at www.romaluce.it are the most recent versions and supercede all other printed or electronic versions.