

**Objective**

Marker in-ground luminaire has a clear high resistant tempered glass and a solid high corrosion stainless steel body with high corrosion stainless steel faceplate that are built to withstand the rainy season and illuminate even the gloomiest nights. This petite yet powerful in-ground light can be used in series, to light walls, or independently, to light a landscape.

**Obiettivo**

L'apparecchio da incasso a terra Marker ha un vetro temperato trasparente ad alta resistenza e un solido corpo in alluminio pressofuso con piastra frontale in acciaio inossidabile, costruiti per resistere alla stagione delle piogge e illuminare anche le notti più buie. Questa luce da terra minuscola ma potente può essere utilizzata in serie, per illuminare pareti, o in modo indipendente, per illuminare un paesaggio.

**Description**

**Housing** - Made of high corrosion stainless steel housing with trim SS 309 or 316 upon request, sealed with silicon & rubber gasket.

**Diffuser** - Tempered Glass diffuser optical lens specially for LED PMMA optical lens.


**LED** - reducing energy consumption with L80/B10/F10 50,000 hrs lifetime.

**Standards** - manufactured in accordance with EN 60598-1 and 60598-2-1.



**Accessories**- Recessed aluminum box.



CODE	WATTAGE	LUMEN	SIZE mm	
1101201	1.5W	159lm	Ø50 X 52 H	Ø35



PHASE DIMMING	DALI	1-10 DIMMING	UNDER WATER
65°C	Glowing Wire Test - 850°		
-20°C	IP 68	IK 09	UGR <19
			SDCM 2.0/3.0
		COMPLIANCE	
PASEL ACCREDITATION	COB	CRI >90	
	SELV		series wiring
	DC 12V	DC 24V	



RGB  
 2700K  
 3000K  
 4000K  
 5000K  
 6000K  
 6500K

LED Drivers - PHILIPS TRIDONIC | LED Chips - BRIDGELUX PHILIPS

In a continuing effort to offer the best product possible, we reserve the right to change, without notice, specifications or materials that in our opinion will not alter the function of the product. Specification sheets found at [www.romaluce.it](http://www.romaluce.it) are the most recent versions and supercede all other printed or electronic versions.